



EV318283950

Inventor: **Cem Basceri**
Title: **Capacitor Constructions Comprising Perovskit -Typ Di lectric
Materials**
Assignee: **Micron Technology, Inc.**
Serial No.: **10/086,942**
Filed: **March 1, 2002**

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

PURSUANT TO 37 C.F.R. §§ 1.56, 1.97 AND 1.98

In compliance with 37 C.F.R. §§ 1.56, 1.97 and 1.98, the Examiner's attention is directed to the references listed on the attached Form PTO-1449 and copies of which are attached. No admission is made regarding whether all the submitted references are prior art.

Citation of these references is respectfully requested.

Date: 9/2/03

Attorney: 

Respectfully submitted,

David G. Latwesen, Ph.D.
Reg. No. 38,533
Wells St. John P.S.


RECEIVED
SEP 18 2003
TECHNOLOGY CENTER 2800

09/05/2003 CNGUYEN 00000070 10086942

01 FC:1806

180.00 OP

EV318283950



Form PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.
M122-1951SERIAL NO.
10/086,942LIST OF ART CITED BY APPLICANT
(Use several sheets if necessary)APPLICANT
Cem BasceriFILING DATE
March 1, 2002GROUP
2813

U.S. PATENT DOCUMENTS

| *Examiner Initial | | Document Number | Date | Name | Class | Subclass | Filing Date If Appropriate |
|-------------------|----|-----------------|-------|---------------|-------|----------|----------------------------|
| | AA | 6,337,496 B2 | 01/02 | Jung | | | |
| | AB | 5,711,816 | 01/98 | Kirlin et al. | | | |
| | AC | 6,372,686 B1 | 04/02 | Golden | | | |
| | AD | | | | | | |
| | AE | | | | | | |
| | AF | | | | | | |
| | AG | | | | | | |
| | AH | | | | | | |
| | AI | | | | | | |
| | AJ | | | | | | |
| | AK | | | | | | |
| | AL | | | | | | |

FOREIGN PATENT DOCUMENTS

| | | Document Number | Date | Country | Class | Subclass | Translation | |
|--|----|-----------------|------|---------|-------|----------|-------------|----|
| | | | | | | | Yes | No |
| | AM | | | | | | | |
| | AN | | | | | | | |
| | AO | | | | | | | |
| | AP | | | | | | | |
| | AQ | | | | | | | |

OTHER REFERENCES (including Author, Title, Date, Pertinent Pages, Etc.)

| | | | |
|--|----|--|--|
| | AR | | |
| | AS | | |
| | AT | | |

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

RECEIVED
SEP - 8 2003
TECHNOLOGY CENTER 2800

EV318283950

Form PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.
M122-1951SERIAL NO.
10/086,942LIST OF ART CITED BY APPLICANT
(Use several sheets if necessary)APPLICANT
Cem BasceriFILING DATE
March 1, 2002GROUP
2813

U.S. PATENT DOCUMENTS

| *Examiner Initial | | Document Number | Date | Name | Class | Subclass | Filing Date If Appropriate |
|-------------------|----|-------------------|------------|-----------------|-------|----------|----------------------------|
| | AA | US2002/0197793 A1 | Pub. 12/02 | Dornfest et al. | | | |
| | AB | US2003/0017266 A1 | Pub. 01/03 | Basceri et al. | | | 07/13/01 |
| | AC | | | | | | |
| | AD | | | | | | |
| | AE | | | | | | |
| | AF | | | | | | |
| | AG | | | | | | |
| | AH | | | | | | |
| | AI | | | | | | |
| | AJ | | | | | | |
| | AK | | | | | | |
| | AL | | | | | | |

FOREIGN PATENT DOCUMENTS

| | | Document Number | Date | Country | Class | Subclass | Translation | |
|--|----|-----------------|------|---------|-------|----------|-------------|----|
| | | | | | | | Yes | No |
| | AM | | | | | | | |
| | AN | | | | | | | |
| | AO | | | | | | | |
| | AP | | | | | | | |
| | AQ | | | | | | | |

OTHER REFERENCES (including Author, Title, Date, Pertinent Pages, Etc.)

| | | | |
|--|----|--|--|
| | AR | | |
| | AS | | |
| | AT | | |

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

RECEIVED
SEP - 8 2003
TECHNOLOGY CENTER 2800